

Correction

J Clin Invest. 1998;102(3):641-641. <https://doi.org/10.1172/JCI626C1>.

Correction

Find the latest version:

<https://jci.me/626C1/pdf>



Martin, P.-Y., M. Ohara, P. Gines, D.L. Xu, J. St John, M. Niederberger, and R.W. Schrier. Vol. 101, No. 1, January 1998. Pages 235–242.

Table I (page 238) contained two errors. A corrected version of Table I is printed below.

Table I. Balance Studies, Plasma Sodium Concentration, Plasma Osmolality and Glomerular Filtration Rate in the Four Groups of Rats at Day 0 and Day 7 of L-NAME (0.5 mg/kg per day) or Vehicle Administration

	Control		Control + L-NAME		Cirrhosis		Cirrhosis + L-NAME	
	Day 0 n = 8	Day 7 n = 8	Day 0 n = 8	Day 7 n = 8	Day 0 n = 10	Day 7 n = 10	Day 0 n = 13	Day 7 n = 13
Weight (g)	469±16	455±14	474±13	465±17	406±19*	413±16	424±8*	397±8‡
Food intake (g per day)	15.4±1.4	13.7±1.5	15.7±1.0	12.7±1.3	15.8±1.8	14.5±1.8	19.8±0.7*	19.2±1.5*
Sodium intake (mmol per day)	1.6±0.1	1.4±0.2	1.6±0.1	1.3±0.1	1.6±0.2	1.5±0.1	2.0±0.3*	1.9±0.2*
Sodium excretion (mmol per day)	1.4±0.1	1.3±0.3	1.4±0.1	1.2±0.2	0.7±0.9*	0.7±0.1*	0.6±0.1*	2.4±0.2‡
Sodium balance (mmol per day)	+0.2±0.2	+0.1±0.2	+0.2±0.1	+0.03±0.1	+0.9±0.1*	+0.8±0.1*	+1.2±0.1*	-0.5±0.2‡
Water intake (ml per day)	25.3±1.5	27.1±1.7	27.1±1.7	23.8±1.6	28.6±2.4	30.9±1.9*	34.3±2.5*	29.7±1.3*
Urine output (ml per day)	16.9±1.2	20.4±3.3	15.7±0.9	15.9±0.7	9.8±0.4*	10.5±0.7*	10.6±0.8*	14.7±0.9‡
Water balance (ml per day)	8.4±0.9	6.5±1.7	11.4±1.1	7.9±1.0	18.8±2.2*	20.4±2.5*	23.7±2.2*	15.0±1.4‡
P Na (mmol/liter)		139.2±1.1		141.0±1.0		136.6±1.1		140.0±1.0 ^l
P osm (mOsm/kg/H ₂ O)		299.3±1.5		297.1±1.5		294.1±1.8 [§]		299.9±1.8 ^l
GFR (ml/min/100 g)		0.94±0.04		0.82±0.04 [§]		0.83±0.02 [§]		0.81±0.03 [§]

**P* < 0.05 versus control day 0; ‡*P* < 0.05 versus cirrhosis + L-NAME day 0 and cirrhosis day 7; §*P* < 0.05 versus control day 7; ^l*P* < 0.05 versus cirrhosis day 7.